References:

Altschul S.F., Madden T.L., Schaffer A.A., Zhang J., Zhang Z., Miller W. and Lipman D.J. **(1997),** Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.***, 25,** 3389.

Apostolico A. and Giancarlo R. **(1998),** Sequence alignment in molecular biology. *J. Computer Biol.,* **5,** 173.

Barrios S., Ouattara B.. and Strobl E. **(2008),** The impact of climatic change on agricultural production: Is it different for Africa? *Food policy,* **33(4):**287–298.

Battey J.N., Kopp J., Bordoli L., Read R.J., Clarke N.D. and Schwede T. **(2007),** Automated server predictions in CASP7. *Proteins* **69***,* **(Suppl 8),** 68–82.

Benson D.A., Karsch-Mizrachi I., Lipman D.J., Ostell J. and Sayers E.W. **(2010),** GenBank. *Nucleic Acids Res.,* **38,** D46–D51.

Berman H., Henrick K., Nakamura H. and Markley J.L. **(2007),** The worldwide Protein Data Bank (wwPDB): ensuring a single, uniform archive of PDB data. *Nucleic Acids Res.*, **35,** D301–D303.

Boguski M.S., Lowe T.M. and Tolstoshev C.M. **(1993),** dbEST–database for "expressed sequence tags". *Nature Genet.,* **4,** 332–333.

Bohlool B.B., Ladha J.K., Garrity D.P. and George T. **(1992),** Biological nitrogen fixation for sustainable agriculture: A perspective. *Plant Soil,* **141,** 1-11.

Bordoli J.L., Battey J.N., Kiefer F. and Schwede T. **(2007),** Assessment of CASP7 predictions for template-based modeling targets. *Proteins **69,*** **(Suppl 8),** 38–56.

Bowie J.U., Luthy R. and Eisenberg D. **(1991),** A method to identify protein sequences that fold into a known three-dimensional structure. *Science,* **253,**164.

Brenner S.E., Chothia C. and Hubbard T.J. **(1998),** Assessing sequence comparison methods with reliable structurally identified distant evolutionary relationships. *Proc. Nat. Acad. Sci., USA,* **95,** 6073.

Burris R.H. and Roberts G.P. **(1993),** Biological nitrogen fixation. *Annu. Rev. Nutr.,* **13,** 317-335.

Chan M.K., Kim J. and Rees D.C. **(1993),** The nitrogenase FeMo-cofactor and P-cluster pair: 2.2^0A resolution structures. *Science,* **260,** 792-794.

Chen C., Lower R., Fletcher A., Oliver I., Robertson M., Bell M. and Wang E. **(2016),** How well can APSIM simulate nitrogen uptake and nitrogen fixation of legume crops? *Field Crop Res.,* **187,** 35-48.

Chothia C. and Lesk A.M. **(1986),** The relation between the divergence of sequence and structure in proteins. *EMBO J.,* **5,** 823.

Chothia C., Gough J., Vogel C. and Teichmann S.A. **(2003),** Evolution of the protein repertoire. *Science,* **300,** 1701.

Clair S.B. and Lynch J.P. **(2010),** The opening of Pandora's Box: climate change impacts on soil fertility and crop nutrition in developing countries. *Plant Soil,* **335(1-2),** 101–115.

Damodara C.K., Reddy S.R., Triveni S., Trimurtulu N., Durga R.V. and Sreedhar M. **(2018),** Screening and characterization of stress tolerant rhizobia from different soils of Telangana. *Intern. J. Microbiol. Res.,* **10(3),** 1038-1042.

Dean D. R. and Jacobson M. R. **(1992),** Biochemical genetics of nitrogenase. **In**: *Biological Nitrogen Fixation* (Stacey, G., Burris R.H. and Evans H.J., eds.). Chapman-Hall, New York, pp. 763-831.

Dean D.R., Bolin J.T. and Zheng L. **(1993),** Nitrogenase mettaloclusters: structures, organization and synthesis. J. *Bacteriol,* **175**, 6737-6744.

Divito G.A. and Sadras V.O. **(2014),** How do phosphorus, potassium and sulphur affect plant growth and biological nitrogen fixation in crop and pasture legumes? A meta-analysis. *Field Crop Res.,* **156,** 161–71.

Dixon R. **(2002),** A stranglehold on a transcriptional activator by its partner regulatory protein - the case of the NifL-NifA two component regulatory system. **In:** SGM Symposium 61: *Signals, switches, regulons and cascades: control of bacterial gene expression* (Hodgson D.A. and Thomas C.M., eds.). Cambridge University Press, pp. 213-230.

Do C.B., Mahabhashyam M.S., Brudno M. and Batzoglou S. **(2005),** ProbCons: probabilistic consistency-based multiple sequence alignment. *Genome Res.***, 15,** 330.

Dos Santos, P.C., Fang Z., Mason S., Setuba J.C. and Dixon R. **(2012),** Distribution of nitrogen fixation and nitrogenase-like sequences amongst microbial genomes. *BMC Genomics* **13,** 162. doi: 10.1186/1471-2164-13-162

Eaglesham A.R.J. **(1989),** Global importance of *Rhizobium* as an inoculant. **In:** *Microbial Inoculation of Crop Plants.* Chapter 3. (Campbell, R. and Macdonald, R. eds.). Oxford University Press, Oxford.

Edgar R.C. and Batzoglou S. **(2006),** Multiple sequence alignment. *Curr. Opinion Struct. Biol.,* **16,** 368–373.

Edgar R.C. and Sjolander K. **(2003),** SATCHMO: sequence alignment and tree construction using hidden Markov models. *Bioinformatics,* **19,** 1404.

Edgar R.C. and Sjolander K. **(2004),** COACH: profile–profile alignment of protein families using hidden Markov models. *Bioinformatics,* **20,** 1309.

Evans H.J, Harker A.R., Papen H., Russell S.A., Hanus F.J. and Zuber M. **(1987),** Physiology, biochemistry and genetics of the uptake hydrogenase in rhizobia. *Annu. Rev. Microbiol.,* **41,** 355-361.

Felsenstein J. **(1981),** Evolutionary trees from DNA sequences: a maximum likelihood approach. *J. Mol. Biol.,* **17,** 368.

Fernandez-Fuentes N., Rai B.K., Madrid-Aliste C.J., Fajardo J.E. and Fiser A. **(2007),** Comparative protein structure modeling by combining multiple templates and optimizing sequence-to-structure alignments. *Bioinformatics,* **23,** 2558–2565.

Figueiredo M.V.B., Burity H.A., Martínez C.R. and Chanway C.P. **(2008),** Alleviation of drought stress in the common bean (*Phaseolus vulgaris* L.) by coinoculation with *Paenibacillus polymyxa* and *Rhizobium tropici*. *Appl. Soil. Ecol.,* **40,** 182–188.

Fischer H.M. **(1994),** Genetic regulation of nitrogen fixation in rhizobia. *Microbiol. Rev.,* **58,** 352-386.

Fiser A. **(2004),** Protein structure modeling in the proteomics era. *Expert Rev. Proteom.,* **1,** 97–110.

Fiser A. and Sali A. **(2003),** Modeller: generation and refinement of homology-based protein structure models. *Methods Enzymol.,* **374,** 461.

Frank I.K. **(2014),** Rapid classification of NifH protein sequences using classification and regression trees. M.Sc. dissertation, University of Santacruz.

Gaby J.C. and Buckley D.H. **(2014),** A comprehensive aligned *nif*H gene database: a multipurpose tool for studies of nitrogen-fixing bacteria. Database 2014:bau001. doi: 10.1093/database/bau001

Greene L.H., Lewis T.E., Addou S., Cuff A., Dallman T., Dibley M., Redfern O., Pearl F., Nambudiry R. and Reid A. et al. **(2007),** The CATH domain structure database: new protocols and classification levels give a more comprehensive resource for exploring evolution. *Nucleic Acids Res.,* **35,** D291–D297.

Grover M., Ali S.Z., Sandhya V., Rasul A. and Venkateswarlu B. **(2011),** Role of microorganisms in adaptation of agriculture crops to abiotic stresses. *World J. Microbiol. Biotechnol.,* **27(5),** 1231–1240.

Hamilton T.L., Ludwig M., Dixon R., Boyd E.S., Dos Santos P.C., Setubal, J.C. et al. **(2011),** Transcriptional profiling of nitrogen fixation in *Azotobacter vinelandii*. *J. Bacteriol.* **193,** 4477–4486. doi: 10.1128/JB.05099-11

Jacobson M.R., Premakumar R. and Bishop P.E. **(1986),** Transcriptional regulation of nitrogen fixation by molybdenum in *Azotobacter vinelandii. J. Bacteriol,* **167,** 480-486.

Jaroszewski L., Rychlewski L., Li Z., Li W. and Godzik A. **(2005),** FFAS03: a server for profile–profile sequence alignments. *Nucleic Acids Res.,* **33,** W284–W288.

Jaroszewski L., Rychlewski L., Zhang B. and Godzik A. **(1998),** Fold prediction by a hierarchy of sequence, threading, and modeling methods. *Protein Sci.,* **7,** 1431.

John B. and Sali A. **(2004),** Detection of homologous proteins by an intermediate sequence search. *Protein Sci.,* **13,** 54.

Jones D.T. **(1999),** GenTHREADER: an efficient and reliable protein folds recognition method for genomic sequences. *J. Mol. Biol.,* **287,** 797.

Karchin R., Cline M., Mandel-Gutfreund Y. and Karplus K. **(2003),** Hidden Markov models that use predicted local structure for fold recognition: alphabets of backbone geometry. *Proteins,* **51,** 504.

Karplus K., Barrett C. and Hughey R. **(1998),** Hidden Markov models for detecting remote protein homologies. *Bioinformatics,* **14,** 846.

Kim J. and Rees D. C. **(1992),** Structural models for the metal centers in the nitrogenase molybdenum-iron protein. *Science,* 257, 1677-1682.

Kim J. and Rees D. C. **(1994),** Nitrogenase and biological nitrogen fixation. *Biochemistry,* **33,** 389-397.

Krogh A., Brown M., Mian I.S., Sjolander K. and Haussler D. **(1994),** Hidden Markov models in computational biology. Applications to protein modeling. *J. Mol. Biol.,* **235,** 1501.

Kulikova T., Akhtar R., Aldebert P., Althorpe N., Andersson M., Baldwin A., Bates K., Bhattacharyya, S., Bower L. and Browne P. et al. **(2007),** EMBL nucleotide sequence database in 2006. *Nucleic Acids Res.,* **35,** D16–D20.

Lesk A.M. and Chothia C. **(1980),** How different amino acid sequences determine similar protein structures: the structure and evolutionary dynamics of the globins. *J. Mol. Biol.,* **136,** 225.

Lynch J.M. **(1983),** *Soil Biotechnology*. Blackwell Scientific Publications, Oxford, U. K.

Marti-Renom M.A., Stuart A.C., Fiser A., Sanchez R., Melo F. and Sali A. **(2000),** Comparative protein structure modeling of genes and genomes. *Annu. Rev. Biophysics Biomol. Struct.,* **29,** 291.

Mayak S., Tirosh T. and Glick B.R. **(2004),** Plant growth-promoting bacteria confer resistance in tomato plants to salt stress. *Plant Physiol. Biochem.,* **42,** 565–572.

Meher P.K., Sahu T.K., Mohanty J., Gahoi S., Purru S., Grover M. and Rao A.R. **(2018),** nifPred: proteome-wide identification and categorization of nitrogen fixation proteins of diazotrophs based on composition-transition-distribution features using support vector machine. *Front. Microbiol.* **9:** 1-16. doi: 10.3389/fmicb.2018.01100

Michiels J. and Vanderleyden J. **(1994),** Molecular basis of the establishment and functioning of a nitrogen-fixing root nodule. *World J. Microbiol. Biotechnol.,* **10,** 612-630.

Mondal U.K., Das B., Ghosh T.C., Sen A. and Bothra A.K. **(2008),** Nucleotide triplet based molecular phylogeny of class I and class II aminoacyl t-RNA synthetase in three domain of life process: bacteria, archaea, and eukarya. *J. Biomol. Struct. Dyn.* **26,** 321–328. doi: 10.1080/07391102.2008.10507247

Moretti S., Armougom F., Wallace I.M., Higgins D.G., Jongeneel C.V. and Notredame C. **(2007),** The M-Coffee web server: a meta-method for computing multiple sequence alignments by combining alternative alignment methods. *Nucleic Acids Res.,* **35,** W645–W648.

Newbould P. **(1989),** The use of nitrogen fertilizer in agriculture: where do we go practically and ecologically? *Plant Soil*, **115,** 297–311.

Norel F. and Elmerich C. **(1987).** Nucleotide sequence and functional analysis of the two *nif*H copies of *Rhizobium* ORS571. *J. Gen. Microbiol.***, 133,** 1563-1576.

Notredame C. **(2007),** Recent evolutions of multiple sequence alignment algorithms. *PLoS Computer Biol.,* **3,** e123.

Pearson W.R. **(2000),** Flexible sequence similarity searching with the FASTA3 program package. *Methods Mol. Biol.,* **132,** 185.

Pei J. and Grishin N.V. **(2007),** PROMALS: towards accurate multiple sequence alignments of distantly related proteins. *Bioinformatics,* **23,** 802–808.

Pei J., Kim B.H. and Grishin N.V. **(2008),** PROMALS3D: a tool for multiple protein sequence and structure alignments. *Nucleic Acids Res.,* **36,** 2295–2300.

Plá C. L. and Cobos-Porra L. **(2015),** Salinity: Physiological impacts on legume nitrogen fixation. In: *Legume Nitrogen Fixation in a Changing Environment* (Sulieman S.L. and Tran S.P., eds.), doi: 10.1007/978-3-319-06212-9_3, pp. 35-65.

Quinto C., de la Vega H., Flores M., Leemans J., Cevallos M.A., Pardo M.A., Azpiroz R., de Lourdes G.M., Calva E. and Palacois R. **(1985),** Nitrogenase reductase: a functional multigene family in *Rhizobium phaseoli*. *Proc. Natl. Acad. Sci. USA.,* **82,** 1170-1174.

Rai B.K., Madrid-Aliste C.J., Fajardo J.E. and Fiser A. **(2006),** MMM: a sequence-to-structure alignment protocol. *Bioinformatics,* **22,** 2691–2692.

Rychlewski L., Jaroszewski L., Li W. and Godzik A. **(2000),** Comparison of sequence profiles. Strategies for structural predictions using sequence information. *Protein Sci.,* **9,** 232.

Sauder J.M., Arthur J.W. and Dunbrack R.L. Jr. **(2000),** Large-scale comparison of protein sequence alignment algorithms with structure alignments. *Proteins,* **40,** 6.

Sayers E.W., Barrett T., Benson D.A., Bryant S.H., Canese K., Chetvernin V., Church D.M., Dicuccio M., Edgar R. and Federhen S. et al. **(2010),** Database resources of the National Center for Biotechnology Information. *Nucleic Acids Res.,* **38,** D5–D16.

Schaffer A.A., Aravind L., Madden T.L., Shavirin S., Spouge J.L., Wolf Y.I., Koonin E.V. and Altschul S.F. **(2001),** Improving the accuracy of PSI-BLAST protein database searches with composition-based statistics and other refinements. *Nucleic Acids Res.*, **29,** 2994.

Sindhu S.S., Lakshminarayana K. and Dalvir Singh **(1994),** Expression of hydrogenase activity in *Azotobacter chroococcum* and its possible role in crop productivity. *Indian J. Expt. Biol.*, **32,** 423-426.

Sloger C. and van Berkum P. **(1992),** Approaches fro enhancing nitrogen fixation in cereal crops. In: *Biological Nitrogen Fixation Associated with Rice Production.* (Dutta S.K. and Sloger C., eds.). Oxford and IBH Publishing, New Delhi, India., pp. 229-234.

Sugawara H., Ogasawara O., Okubo K., Gojobori T. and Tateno Y. **(2008),** DDBJ with new system and face. *Nucleic Acids Res.***, 36,** D22–D24.

Szeto W., Kwiatkowski R., Cannon F.C. and Ronson C.W. (1990), The enhancement of symbiotic nitrogen fixation in *Bradyrhizobium japonicum*. **In*:*** *Abstracts of fifth International Symposium on the Molecular Genetics of Plant-Microbe Interactions.* Interlaken, Switzerland., pp. 152.

Talebi R., Ensafi M.H., Baghebani N., Karami E. and Mohammadi K. **(2013),** Physiological responses of chickpea (*Cicer arietinum*) genotypes to drought stress. *Environ. Expt. Biol.*, **11**, 9-15.

Ugalde R.A., Imperial J., Shah V.K. and Brill W.J. **(1985),** Biosynthesis of the iron-molybdenum cofactor in *Klebsiella pneumoniae:* Effect of the sulfur source. *J. Bacteriol.*, **164,** 1081-1087.

Wadhwa Z., Srivastava V., Rani R., Tanvi, Makkar K. and Jangra S. **(2017),** Isolation and characterization of *Rhizobium* from Chickpea (*Cicer arietinum*). *Intern. J. Curr. Microbiol. Appl. Sci.,* **6(11),** 2880-2893.

Wang Y., Addess K.J., Chen J., Geer L.Y., He J., He S., Lu S., Madej T., Marchler-Bauer A. and Thiessen P.A. et al. **(2007),** MMDB: annotating protein sequences with Entrez's; 3D-structure database. *Nucleic Acids Res.,* **35,** D298–D300.

Williams M.K., Beynon J.L., Ronson C.W. and Cannon F.C. 1990. ***In:*** *Abstracts of fifth International Symposium on the Molecular Genetics of Plant-Microbe Interactions.* Interlaken, Switzerland., pp. 152.

Yong T., Chen P., Dong Q., Qing D.U., Yang F., Wang X., Liu W. and Yang W. **(2018),** Optimized nitrogen application methods to improve nitrogen use effciency and nodule nitrogen fixation in a maize-soybean relay intercropping system. *J. Integr. Agric.*, **7(3),** 664–676.

Zhang Y. **(2007),** Template-based modeling and free modeling by I-TASSER in CASP7. *Proteins* **69 (Suppl 8),** 108–117.